


Stadium

BUILDING PRODUCTS



Product GUIDE

VENTILATION

RHINO FLEXI TUBS,
BUCKETS & BINS

GARDENING

HARDWARE

PLUMBING &
DRAINAGE

PLASTERING &
DECORATING

About us

Stadium Building Products are regarded as a market leading supplier for ventilation and building products. Stadium have been supplying many of the industry's top retailers with high quality, innovative products for over 100 years.

At Stadium Building Products, we have a wealth of knowledge in the design and development of quality products with our in-house design team. Innovation is at the forefront of what we do, constantly adapting to meet the industry's needs. We offer a wide range of products, which is complimented by our customer service team who are always here to help find the right solution for your needs.

We have the additional benefit of support from our global parent company, Flambeau Inc. Flambeau have over 70 years of experience in plastics manufacturing that we have leveraged in the UK market. We are able to offer a diverse range of products and services from tooling design for injection and blow moulded thermoplastic components to contract manufacturing of complete assemblies. Our vast warehouse and distribution facilities mean we are able to distribute globally and have enviable flexibility with our product ranges and design capabilities.

How to Order

Ordering is easy, whether you are a large scale or independent retailer. You have options to order via EDI or e-mail. Whichever way you choose, we aim to make ordering as easy as possible and our customer service team are always there to help should you need them.


You will need to have an account set up to place orders, which you can do by filling out a simple account form.

Delivery

We know lead times are essential. Our standard delivery time is 3-5 days, but is subject to logistical challenges in the market. We aim to accommodate our customers' needs wherever possible, all you have to do is ask.

Our Contact Details

- ☎ 01843 854 002
- ✉ stadium@flambeau.com
- 📱 www.stadiumbuildingproducts.com



 **Flambeau** INC.

Flambeau
Est. 1947

Stadium
BUILDING PRODUCTS

ArtBin

DUNCAN

 **Flambeau**
FLUID SYSTEMS DIVISION

Ventilation

- 5 Guide to Ventilation
- 6 'Black Hole' Ventilation
- 7-8 'Black Hole' Ventilator Kits
- 8-9 Core Drill Ventilator Kits
- 9-10 Airbrick Ventilator Kits
- 10 Cavity Liners & Extension Tubes
- 11 Hit & Miss Ventilators
- 11-13 Louvre Ventilators
- 13 Face Fitting Ventilators
- 14 Flush Fitting Ventilators
- 14-15 External Cows
- 15-16 Airbricks
- 16 Through Floor Ventilators
- 16-17 Soffit Ventilators
- 17-19 Ducting



- 22 Rhino Flexi Tubes
- 23 Buckets
- 24 Galvanised Buckets
- 24 Bins



- 26 Rhino Water Butt
- 26 Rhino Easi-Can
- 26 Garden Hoses

Hardware

- 28 Toolboxes
- 28 Funnels
- 28 Luggage Elastics
- 28 Roofing Washers

Plastering & Decorating

- 29 Mixing Trays & Buckets
- 29 Plasterers' Bath
- 29-30 Plasterers' Hawk & Float
- 30 Paint Kettle

Plumbing & Drainage

- 32 Pipe clips
- 32 Waste Pips
- 32 Pan Connectors
- 33 Air Admittance Valves
- 33 Flush Pipes
- 33 Sink Plungers
- 33 Gully Grids
- 34 Drain Covers & Balloon Guards
- 34 Drain Testing Plugs & Rods
- 35 Last Chance to Buy

VENTILA

TION

Ventilation for Combustion Appliances

Stadium Ventilation is a name you can trust. Our fantastic products are specified, used, and preferred by local authorities and councils, housing associations, and Corgi installers.

Providing the correct ventilation for combustion appliances is essential to ensure efficient operation and safe combustion. A combustion appliance is usually a gas, oil or solid fuel burning appliance such as a boiler, fire, stove, warm air heater or cooker (for cooking or heating).

These appliances not only burn fuel but use oxygen in air combustion. If sufficient fresh air is not provided then the unit will use the available oxygen from the air in the room.

If the supply to the appliance is inadequate, the flue will fail to clear all of the combustion products and some will spill into the room itself. Ventilating rooms that contain combustion appliances is essential and often additional ventilation is required.

Prior to installation, detailed advice should be sought from a registered installer.

This information is a guide only.
Always refer to current Building Regulations

Free Area

Free area is achieved by measuring the smallest apertures of a vent or grille to calculate the air flow.

For a louvre, the areas should be measured at right angles to the blades or vanes. For an air vent assembly, the free cross-sectional area of the most restrictive component in an assembly should be used to calculate the free area.

For more information refer to the Free Area Reference Chart on our website.


Open Flued & Flueless Appliances

Ventilation for flueless appliances must be direct to the outside of the building. Ventilation for open flued appliances (which draw their combustion air from the room or space into which it is installed) should be direct to the outside of the building, but in certain circumstances may be vented from another room which in turn is vented to the outside. A vent supplying air to an open-flue appliance shall not draw from a room or internal space containing a bath or shower.

Any installation should be installed so that it receives sufficient air for the proper combustion of the fuel and is capable of normal operation without the combustion products becoming a health hazard.

Vent colours

*Not all colours are available for all vents, subject to MOQ.



'Black Hole' Ventilation


'Black Hole' ventilation products provide the answer to the dangerous practice of ventilators being blocked off by occupiers who are trying to stop draughts. This is an important risk to safety. While this works to reduce draughts, the ventilator may not pass the required amount of air when the appliance is operating. It is important that a spillage test is carried out as specified by the British Standard and Corgi good practice.

'Black Hole' Benefits



Helps prevent wind blowing through

The airflow within the duct is slowed by the change of direction and by the vortices formed, helping reduce draughts.



Helps reduce light showing through

Helps reduce light showing through



Helps reduce light showing out

Helps prevent night insects like moths, crane flies and mosquitoes flying in.



Helps reduce outside noise

Helps reduce the penetration of noise. The internal construction works as a sound baffle.



Practical

Allows air to be pulled through by the appliance when it is operating.



Safer

With draught and light annoyance
Problems reduced, the occupier
Will not be tempted to block the vent

The 'Black Hole' Magic Explained


As outside wind pressure increases, a normal ventilator lets a lot of air through, causing draughts.

Inside the Stadium 'Black Hole' ventilator, vortices are formed behind the internal blades as the incoming air is forced to change direction. The gap that the air is able to pass through narrows. As wind pressure increases, the vortices grow. The total air flow is reduced and it finally tumbles and slows to a trickle, which cuts down annoying draughts.


However, when a heating appliance is operating, air is drawn through the vent and actually speeds up within the constricted air flow between the vortices. This maintains the correct amount of air in the room or compartment to allow the fuel to burn efficiently and flue gases to escape.

When the appliance is not working, it helps reduce incoming air to a minimum, even when wind levels are high. It also helps dissipate the energy of the blown air (wind) through the restriction of the internal shape and vortices, while drawn air flows more smoothly around them.

TURBULENT




LAMINAR



BLACK HOLE VENTILATION KITS


If a longer tube length is required, extension tube BM810 can be purchased.



Core Drill 'Black Hole' Vario Ventilator

Flush fitting internal grille


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM418/B	1	Cowl: 180 x 155 Grille: 155 x 155 Tube: 127 dia. 350 length	70 with baffle 100 without	21 with baffle 100 without	Brown cowl White internal
BM418/W	1	As above	As above	As above	White cowl White internal
BM418/T	1	As above	As above	As above	Terracotta cowl White internal



Core Drill 'Black Hole' Ventilator & Extension

Fixed anti-draught baffle


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM725/B	1	Cowl: 180 x 155 Grille: 155 x 155 Tube: 127 dia. 228 length 585 extension	30	13	Brown cowl White internal
BM725/W	1	As above	As above	As above	White cowl White internal
BM725/T	1	As above	As above	As above	Terracotta cowl White internal



Core Drill 'Black Hole' Vario Ventilator for High Rise Buildings

Anti-draught baffle


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM418/HR/B	1	Cowl: 127 dia. Grille: 155 x 155 Tube: 127 dia. 350 length	70 with baffle 100 without	21 with baffle 27 without	Brown ext. cowl White internal
BM418/HR/W	1	As above	As above	As above	White ext. cowl White internal



Anti-Draught 'Black Hole' Vario Ventilator with Cowl

Double brick size


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM700/R	1	Cowl: 288 x 210 Grille: 270 x 195 Liner: Length expands from 230 - 375	100	27	Rustic red cowl White internal
BM700/S	1	As above	As above	As above	Sand cowl White internal
BM700/B	1	As above	As above	As above	Brown cowl White internal



Anti-Draught 'Black Hole' Vario Ventilator with Airbrick

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM701/T	1	Airbrick: 216x152 Grille: 270x195 Liner: Length expands from 230 - 375	100	27	Terracotta airbrick (a/b) White internal
BM701/R	1	As above	As above	As above	Rustic red a/b White internal
BM701/S	1	As above	As above	As above	Sand airbrick White internal
BM701/B	1	As above	As above	As above	Brown airbrick White internal



Anti-Draught 'Black Hole' Ventilator

Expands to fit solid or cavity walls
Invertible for high or low fitting.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM720/T	1	Airbrick: 216x152 Grille: 290x200 Liner: Length expands from 230 - 375	70	21	Terracotta airbrick (a/b) White internal
BM720/R	1	As above	As above	As above	Rustic red a/b White internal
BM720/S	1	As above	As above	As above	Sand airbrick White internal

CORE DRILL KITS

If a longer tube length is required, extension tube BM810 or BM801 can be purchased.
Suitability of extension tube is dependant on tube diameter.



82mm (3/4") Core Drill Ventilator for High Rise Buildings

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM401/W	1	Ext. grille: 100 dia. Int. grille: 100 dia. Tube: 82 dia. Length: 350	Not suitable for gas appliances	Not suitable for gas appliances	White external White internal




100mm (4") Core Drill Ventilator

Double flush fit airbrick


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM417/W	1	130 O/A dia. Tube: 100 dia. Length: Expands from 100 - 195	Not suitable for gas appliances	Not suitable for gas appliances	White external White internal

VENTILATION



82mm (3/4") Core Drill Ventilator


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM414/B	1	Ext. grille: 241x89 Int. grille: 241x89 Tube: 82 dia. Length: 350	Not suitable for gas appliances	Not suitable for gas appliances	Brown ext. White internal
BM414/W	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	White ext. Brown internal



127mm (5") Core Drill Ventilator with Anti-Draught Cowl

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM415/CA/B	1	Cowl: 180x155 Grille: 160 dia. Tube: 127 dia. 350 length	65	20	Brown cowl White internal
BM415/CA/W	1	As above	As above	As above	White cowl White internal



127mm (5") Core Drill Ventilator

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM415/B	1	Ext. grille: 160 dia. Int. grille: 160 dia. Tube: 127 dia. Length: 350	65	20	Brown external White internal
BM415/W	1	As above	As above	As above	White external White internal




152mm (6") Core Drill Ventilator

Double flush fit airbrick


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM436	1	Ext. grille: 265x265 Int. grille: 265x265 Tube: 152 dia. Length: 610	161	39.2	Brown external White internal

AIRBRICK KITS



Single Brick Set


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM430/BB	1	Airbrick: 216 x 76 Grille: 241 x 89 Liner: Length expands from 250 - 343	40	15	Blue/black external White internal
BM430/T	1	As above	40	15	Terracotta external White internal
BM430/S	1	As above	40	15	Sand external White internal
BM430/B	1	As above	40	15	Brown external White internal



Single Brick Refurbishment Ven with Air Blast Cowl

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM432/R	1	Cowl: 216x76 Grille: 274x198 Liner: 350 length	100	27	Rustic red cowl White internal
BM432/B	1	As above	As above	As above	Brown cowl White internal



Double Brick Set with Airbrick

Double flush fit airbrick

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM420T/T	1	Airbrick: 216x152 Grille: 273x197 Liner: Length expands from 230 - 343	129	32.8	No cowl Terracotta Airbrick White internal
BM420/T/B	1	As above	As above	As above	Brown cowl Terracotta Airbrick White internal
BM420/1/T/T	1	As above	As above	As above	Terracotta cowl Terracotta a/b White internal

CAVITY LINERS & EXTENSION TUBES



Extension Tube for use with BM417

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM811/W	1	100 dia. 350 length	Determined by grille	Determined by grille	White



Single Brick Cavity Liner


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM433	10	216 x 76 220 length	Determined by grille	Determined by grille	Black



Double Brick Telescopic Cavity Liner


Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM84	10	216 x 152 Length expands from 195 - 295	Determined by grille	Determined by grille	Black

HIT & MISS VENTILATORS



Hit & Miss Ventilator with Fly Screen

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM473	10	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	▢ White
BM476	10	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	▢ White
BM479	10	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	▢ White



Aluminium Hit & Miss Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM351	25	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	▢ Aluminium
BM352	10	241 x 165	Not suitable for gas appliances	Not suitable for gas appliances	▢ Aluminium
BM353	10	241 x 241	Not suitable for gas appliances	Not suitable for gas appliances	▢ Aluminium

LOUVRE VENTILATORS



Internal Grille Assembly

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM421/W	5	155 x 155 127 dia. spigot	100	27	▢ White



Louvre Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM463	10	241 x 89	40	15	▢ White
BM466	10	241 x 165	80	23	▢ White
BM469	10	241 x 241	100	27	▢ White



Louvre Ventilator with Fly Screen

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM463/F	10	241 x 89	Not suitable for gas appliances	Not suitable for gas appliances	▢ White
BM466/F	10	241 x 165	As above	As above	▢ White
BM469/F	10	241 x 241	As above	As above	▢ White



Face-Fitting Fixed Louvre Grille with Large Flange

Fits onto BM84 Cavity Liner.
Can be plastered in.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM72/1	10	274 x 198	142	35.4	White
BM72/2/F	10	274 x 198	Not suitable for gas appliances	Not suitable for gas appliances	White



Face-Fitting Fixed Louvre Grille with Large Flange & Tear Off Strips

Fits onto BM84 Cavity Liner.
Can be plastered in.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM72/TO	10	274 x 198	142	35.4	White



Innovator Round Louvre Ventilator

For external and internal use. Use without fly screen for gas appliance ventilation

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM885/W	1	165 dia. To fit, 100, 125, 150, and 165 dia.	115 for 125mm dia.	30	White
BM885/B	1	As above	As above	As above	Brown
BM885/BK	1	As above	As above	As above	Black



Anodised Aluminium Louvre Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM370	10	680 x 70	85	24	Aluminium



Aluminium Louvre Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM361	25	241 x 89	29	12.8	Aluminium
BM362	25	241 x 165	59	18.8	Aluminium
BM363	25	241 x 241	88	24.6	Aluminium
BM364	10	305 x 241	180	43	Aluminium
BM365	10	305 x 305	257	58.4	Aluminium



Gravity Flap Terminal Vent

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM449/B	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	Brown
BM449/W	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	White
BM449/BK	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	Black



Louvre Terminal Vent

Universal for circular & rectangular ducting.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM450/B	1	155 x 155 100 dia. spigot	38	14.6	Brown
BM450/W	1	As above	38	14.6	White
BM450/BK	1	As above	38	14.6	Black
BM450/F/B (with fly screen)	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	Brown
BM450/F/W (with fly screen)	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	White
BM450/F/BK (with fly screen)	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	Black

FACE FITTING VENTILATORS



Face Fitting Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM461/W	10	298 x 290	270	61	White



Face Fitting Fixed Louvre Grille

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM73	25	274 x 198	100	27	White



Compartment/Exterior Face Fitting Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM367	1	410 x 240	316	70.2	Aluminium
BM368	1	410 x 330	445	96	Aluminium
BM368/W	1	410 x 330	445	96	White powder coat
BM369	1	410 x 500	693	145.6	Aluminium

FLUSH FITTING VENTILATORS

For BM460/B & BM462/W 1 pack contains 1 pair of vents



Flush Fitting Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM460/B	1 pair	370 x 130	144	35.8	Brown
BM460/W	1 pair	370 x 130	144	35.8	White



Flush Fitting Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM472/W	1 pair	370 x 231	306	68.2	White

EXTERNAL COWLS



Large Cowl

Fits over double brick ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM447/R	5	225 x 150	142	35.4	Rustic red
BM447/S	5	225 x 150	142	35.4	Sand
BM447/B	5	225 x 150	142	35.4	Brown



Large Cowl with Grille in Base

Fits over three airbricks

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM424/B	1	300 x 300	193	45.6	Brown
BM424/W	1	300 x 300	193	45.6	White



Outer Cowl

As used in BM418/HR.
Can be installed from inside the building

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM419/HR/B	5	127 dia. spigot	100	27	Brown
BM419/HR/W	5	127 dia. spigot	100	27	White

VENTILATION

Standard Double Brick Cowl


Fits over airbricks up to 230 x 150mm.
Fits over other ventilators when lip is removed.



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM422/B	5	260 x 160	100	27	Brown
BM422/T	5	260 x 160	100	27	Terracotta

Single Brick Cowl

Fits single airbrick size 216 x 76mm.
Fits rectangular duct.



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM432/C/B	1	216 x 76	100	27	Brown

External Cowl Assembly



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM419/B	5	180 x 155 127 dia. spigot	100	27	Brown
BM419/W	5	As above	100	27	White

Cowled Terminal Vent

Universal for circular and rectangular ducting.
With backdraught flap.



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM457/B	1	155 x 155 100 dia. spigot	Not suitable for gas appliances	Not suitable for gas appliances	Brown
BM457/W	1	As above	Not suitable for gas appliances	Not suitable for gas appliances	White

AIRBRICKS

Multi-Fit Brick



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM481/T	50	216 x 76	72	21.4	Terracotta

Louvre Airbrick - Single

Fits into BM433 liner. Fits both metric and imperial brickwork.
Lightweight but tough, ribbed for mortar ket, rough cast finish



Product Code	Pack Size	Dimensions (mm)	Free area (cm²)	Rated Input (kW max.)	Colour/Finish
BM483/T	10	216 x 76	46	16.2	Terracotta
BM483/S	10	216 x 76	46	16.2	Sand
BM483/B	10	216 x 76	46	16.2	Brown



Louvre Airbrick - Double

Fits into BM84 liner. Fits both metric and imperial brickwork. Lightweight but tough, ribbed for mortar ket, rough cast finish

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM486/T	10	216 x 152	125	32	Terracotta
BM486/R	10	As above	As above	As above	Rustic red
BM486/S	10	As above	As above	As above	Sand
BM486/B	10	As above	As above	As above	Brown



Square Hole Airbrick

Fits both metric and imperial brickwork. Lightweight but tough, ribbed for mortar ket, rough cast finish

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM487/B	10	216 x 152	66	20.2	Brown



Weep Ventilator

Internal insect and water barrier

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM413/G	25	104 x 65 x 10	Not applicable	Not applicable	Grey
BM413/S	25	As above	As above	As above	Sand
BM413/T	25	As above	As above	As above	Terracotta
BM413/B	25	As above	As above	As above	Brown


THROUGH FLOOR VENTILATORS



Lacquered Brass Through Floor Ventilator

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM435	1	280 x 108 Hole size 213 x 76	100	27	Brass Black duct box
BM435/C	1	280 x 108 Hole size 213 x 76	100	27	Chrome Black duct box

SOFFIT VENTILATORS



Soffit Ventilator

Centres for roof pitches over 15 degrees.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM406/B	20	88 outer dia. 76 dia. spigot	25	12	Brown
BM406/W	20	As above	As above	As above	White



Soffit Ventilator

Centres for roof pitches over 15 degrees.
Overlapping double 76mm (3") holes.

Product Code	Pack Size	Dimensions (mm)	Free area (cm ²)	Rated Input (kW max.)	Colour/Finish
BM407/B	20	145 x 85 75 dia. spigot x2	45.6	16.1	 Brown
BM407/W	20	As above	As above	As above	 White

DUCTING



Tumble Dryer Universal Ducting Kit

For through wall clearance
use 107mm core drill.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM830	1 set Consists of: • Terminal flap vent • Back plate • Flexible ducting • Screw pack	Ducting: 100 dia. 100 - 1200 length	 White components



Tumble Dryer Universal Ducting Kit

Adaptable for through wall or window

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM832	1 set Consists of: • Circular baffled vent • Rigid through wall tube • Wall plate/window adaptor ring with rubber seal • Flexible ducting with spigot • Wall plugs & screws	Ducting: 100 dia. 100 length Rigid tube: 115 dia. 350 length	 White components  Black rigid tube



Cooker Hood universal Ducting Kit

Adaptable for through wall or window

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM841	1 set Consists of: • Baffled wall vent • 2 flat channels • 1 connector • 1 wall late • 190 flat bend • Flexible flame retardant duct • Round connectors (x2) • Round to rectangular adaptor • Screw pack	Ducting: 100 dia. 1000 length Channels: 1000 length	 White components

Flexible ducting

PVC sheathed wirecoil.
Self extinguishing & flame retardant
For tumble dryers & extractor fans.
Suitable for loft spaces / above unit installations.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM809	1	125 dia. 3000 length	White
BM991	1	100 dia. 1000 length	White
BM992	1	100 dia. 2000 length	White
BM993	1	100 dia. 3000 length	White
BM813	1	100 dia. 15000 length	White
BM814	1	100 dia. 45000 length	White

Rigid Long Extension Tube



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM810	1	125 dia. 1000 length	Black

Rigid Tube



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM811/W	1	100 dia. 350 length	White

Deep Flat Ducting



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM972/W	1	100 x 55 1500 length	White



Rectangular / Round Adaptor

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM973/W	1	100 x 55 100 dia. spigot	White



Horizontal 90 Degree Bend

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM974/W	1	100 x 55	White



Flat / Rectangular Connector

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM976/W	1	100 x 55	 White



Vertical 90 Degree Bend

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM978/W	1	100 x 55	 White



Hose Connector Bend

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM979/W	1	100 x 55 100 dia. spigot	 White



RHINO
FLEXI TUBS, BUCKETS & BINS

The
ORIGINAL
and still the
BEST



WWW.STADIUMBUILDINGPRODUCTS.COM



RHINO - FLEXI TUBS, BUCKETS & BINS



FLEXI TUBS STAND PACK

The original, the best & made in the UK.
1,000s of uses!

**2.2m AISLE
STAND
INCLUDED**

INCLUDES:

- ✓ 20 x 12L Flexi Tubs
- ✓ 20 x 26L Flexi Tubs
- ✓ 20 x 40L Flexi Tubs
- ✓ 20 x 75L Flexi Tubs
- ✓ 20 x 14L BB6
- ✓ Builders' Buckets
- ✓ 1 x Display Stand

Product Codes:

BM1/Y  Yellow
BM1/B  Black



RHINO - FLEXI TUBS, BUCKETS & BINS



REASONS TO
CHOOSE US.

- ✓ Strongest tub on the market - BBA tested to 360kgv
- ✓ Rib structure for optimal strength and performance
- ✓ Ergonomically designed handles
- ✓ Made from flexible LDPE - great for fitting into tight spaces
- ✓ Non-toxic
- ✓ Frost resistant

Flexi Tub



12L



26L



40L



75L

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM5/12	10	12	190	290	350	Black
BM5/12/G	10	12	190	290	350	Dark green
BM5/12/LB	10	12	190	290	350	Light blue
BM5/12/PK	10	12	190	290	350	Pink
BM5/12/P	10	12	190	290	350	Purple
BM5/12/R	10	12	190	290	350	Red
BM5/12/Y	10	12	190	290	350	Yellow

BM5/26	10	26	320	290	390	Black
BM5/26/G	10	26	320	290	390	Dark green
BM5/26/LB	10	26	320	290	390	Light blue
BM5/26/PK	10	26	320	290	390	Pink
BM5/26/P	10	26	320	290	390	Purple
BM5/26/R	10	26	320	290	390	Red
BM5/26/Y	10	26	320	290	390	Yellow

BM5/40	10	40	350	360	460	Black
BM5/40/G	10	40	350	360	460	Dark green
BM5/40/LB	10	40	350	360	460	Light blue
BM5/40/PK	10	40	350	360	460	Pink
BM5/40/P	10	40	350	360	460	Purple
BM5/40/R	10	40	350	360	460	Red
BM5/40/Y	10	40	350	360	460	Yellow

BM5/75	5	75	380	460	580	Black
BM5/75/G	5	75	380	460	580	Dark green
BM5/75/P	5	75	380	460	580	Purple
BM5/75/Y	5	75	380	460	580	Yellow

Other colours are available upon request, subject to MOQ



RHINO - FLEXI TUBS, BUCKETS & BINS



Everyday Bucket

Light duty bucket

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BB2	10	14	260	240	350	Black



General Trade Bucket

Medium duty bucket

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BB3/G	10	14	265	235	330	Green
BB3/LB	10	14	265	235	330	Light blue
BB3/PK	10	14	265	235	330	Pink
BB3/P	10	14	265	235	330	Purple
BB3/R	10	14	265	235	330	Red
BB3/Y	10	14	265	235	330	Yellow



Pour & Scoop Bucket

Wide flat back for easy scooping.
Slope feature for accurate pouring.
Finger recess for improved handling.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BB4	10	14	259	259	355	Black



Industrial Bucket

Heavy duty bucket.
Made from strong, easy-clean, impact-modified material.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BB6	10	14	290	225	340	Yellow



Roofers Ridge Bucket

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BB7	2	14	290	285	305	Yellow



5L Flexible Bucket

Made from flexible LDPE.
Non-stick and easy to clean.
Can be used as a calf bucket.

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM7/B	10	5	215	185	240	Blue
BM7/G	10	5	215	185	240	Dark green
BM7/R	10	5	215	185	240	Red



Premium 10L Bucket

Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM10/B	10	9.3	260	210	255	Black
BM10/G	10	9.3	260	210	255	Green

RHINO - FLEXI TUBS, BUCKETS & BINS

Shallow Bucket

Can be used as a mixing & feed bucket.



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM8	10	15	190	300	395	Black
BM8/G	10	15	190	300	395	Green
BM8/LB	10	15	190	300	395	Light blue
BM8/PK	10	15	190	300	395	Pink
BM8/P	10	15	190	300	395	Purple
BM8/R	10	15	190	300	395	Red
BM8/Y	10	15	190	300	395	Yellow

Galvanised Bucket

Heavy duty bucket



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
GB07	1	7	230	250	170	Galvanised
GB13	1	13	265	230	315	Galvanised

Heavy Duty Dustbin

UV stabilised.
Conforms to BS4998



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM199	1	90	700	500	650	Black
BM199/BL	1	90	700	500	650	Blue
BM199/G	1	90	700	500	650	Green
BM199/P	1	90	700	500	650	Purple
BM199/R	1	90	700	500	650	Red
BM199/Y	1	90	700	500	650	Yellow

Heavy Duty Dustbin without lid

UV stabilised.
Conforms to BS4998



Product Code	Pack Size	Capacity (litres)	Height (mm)	Base dia. (mm)	Lip dia. (mm)	Colour / Finish
BM199/WOL	1	90	700	500	650	Black
BM199/BLUE /WOL	1	90	700	500	650	Blue
BM199/RED /WOL	1	90	700	500	650	Red

Rhino Heavy Duty Brush

Includes head and handle



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM5/45/Y	Xxxx	Head: 450 Handle: 25 dia. 1450 length	Yellow

RHINO GARDENING RANGE





Rhino Water Butt 100L & 230L

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
467398	1x 100L Kit Includes Stand, Diverter, Tap, T-Piece, Hose, Tank	W400 x D400 x H900	 Green & Black
467337	1x 230L Kit Includes Stand, Diverter, Tap, T-Piece, Hose, Tank	W600 x D600 x H1000	 Green & Black



Rhino 10L Watering Can

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
WC10/G	1	W480, D190, H340	 Green
WC10/R	1	W480, D190, H340	 Red



Standard Garden Hose


Product Code	Pack Size	Dimensions (m)	Colour/Finish
BM116	1	15	 Green
BM117	1	30	 Green

HARDWARE, PLASTERING, & DECORATING



Funnel

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM214	10	100	Clear
BM216	10	150	Clear
BM218	10	200	Clear



Luggage Elastics

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM164	10	547	Multi (blue, green, red)
BM168	10	610	Multi (blue, green, red)
BM170	10	762	Multi (blue, green, red)
BM172	10	914	Multi (blue, green, red)



'Sealtite' Roofing Washers

UV Stable.


Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM20/1	100	6.5	Black polythene
BM20/2	100	8	Black polythene



'Sealtite' Roofing Washers

UV Stable. Internal boss minimises splitting when tightened.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM70/1	100	6.5	Black polythene
BM70/2	100	8	Black polythene



Mixing Tray

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM194	1		900 dia.	Black




Plasterers' Mixing Bucket

Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
BM195	1	30	H470 Base dia. 260 Lip dia. 340	Natural



Plasterers' Bath

Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
BM197	1	165	L1230, W620, DH33	Natural



Plasterers' Hawk

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM82/1	5		330 x 330	Natural foam



Plasterers' Float

Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM83/1/1	10		364 x 152	Natural foam
BM83/2/1	10		297 x 108	Natural foam

Sponge Faced Plasterers' Float



Product Code	Pack Size		Dimensions (mm)	Colour/Finish
BM83/SF	10		385 x 115	 Natural foam

Paint Kettle



Product Code	Pack Size	Capacity (litres)	Dimensions (mm)	Colour/Finish
PK1L	20	1	H110 Dia. 145	 White
PK2L	20	2.5	H138 Dia. 195	 White
PK5L	20	5	H190 Dia. 225	 White

PLUMBING & DRAINAGE

Nail-On Pipe Clips



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM13/1	100	7-10	White
BM13/2	100	10-14	White
BM13/3	100	15	White
BM13/4	100	22	White

Snap-On Pipe Clips



Single centre screw fitting.

Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM33/1	100	15	White
BM33/2	100	22	White
BM33/3	100	28	White
BM33/6	50	22	White

Hinged Pipe Clips

Single centre screw fitting.
Clips in place with finger pressure.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM71/1	100	15	White
BM71/2	100	22	White
BM71/3	50	28	White
BM71/4	100	15	White
BM71/6	100	22	White

Flexible Waste Pipe



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM667	10	32 (1¼") Extends from 290 - 800	White
BM668	10	38 (1½") Extends from 290 - 800	White

Flexible Pan Connector



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM669	1	102 (4") Extends from 230 - 800	White

Air Admittance Valves (BS EN 12380)

For internal use.
BBA Approved.



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM679	1	110	 Grey
BM679/B	1	110	 Black

Flush Pipes



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM682	10	355 x 229 (14 x 9")	 White
BM684	10	457 x 457 (18 x 18")	 White

Large Industrial Sink Plunger



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM506	5	Cup 125 (5") Handle 250 (10")	 Black & white
BM508	5	Cup 100 (4") Handle 340 (14")	 Black & white

Square Gully Grid



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM44/1	50	150 x 150 (6 x 6")	 Black

Round Gully Grid



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM76/2	25	150 (6") dia.	 Black
BM76/3	25	178 (7") dia.	 Black

Drain Cover



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM46	12	300 x 300	Black

Balloon Guards



Product Code	Pack Size	Dimensions (mm)	Non-corrosive
			Colour/Finish
BM38/1	50	63 (2½")	Black
BM38/7	50	100 (4")	Black

Drain Testing Plug



Product Code	Pack Size	Dimensions (mm)	Colour/Finish
BM85/1	1	100 x 15 (4 x ½")	White
BM85/2	1	150 x 15 (6 x ½")	White

Drain Rod Advanced Pack



Product Code	Pack Size	Dimensions (mm)	Includes 4" nylon plunger & steel wormscrew
			Colour/Finish
BM527	1 (10 rods per pack)	915 x 22 (3' x ¾")	Black rods, brass joints

LAST CHANCE TO BUY

	Washing M/C 76mm Seal			
	Product Code	Pack Size	Dimensions (mm)	Colour/Finish
	BM159	5	40	 White

	Fast-Fix Pan Connectors			
	Product Code	Pack Size	Dimensions (mm)	Colour/Finish
	BM100	50	25 (1") length	 White

	Cistern Pull			
	Product Code	Pack Size	Dimensions (mm)	Colour/Finish
	BM58	10	560 chain (22")	 Chrome plate chain  Grey Handle

**EVERYTHING
YOU NEED.**

**ALL IN
ONE PLACE.**

VENTILATION

Black Hole Ventilation Kits

BM418/B	7
BM418/W	7
BM418/T	7
BM725/B	7
BM725/W	7
BM725/T	7
BM418/HR/B	7
BM418/HR/W	7
BM700/R	7
BM700/S	7
BM700/B	7
BM701/T	8
BM701/R	8
BM701/S	8
BM701/B	8
BM720/T	8
BM720/R	8
BM720/S	8
BM401/W	8
BM417/W	8

Core Drill Kits

BM401/W	8
BM417/W	8
BM414/B	9
BM414/W	9
BM415/CA/B	9
BM415/CA/W	9
BM415/B	9
BM415/W	9
BM436	9

Airbrick Kits

BM430/BB	9
BM430/T	9
BM430/S	9
BM430/B	9
BM432/R	10
BM432/B	10
BM420T/T	10
BM420/T/B	10
BM420/1/T/T	10

Cavity Liners & Extension Tubes

BM811/W	10
BM433	10
BM84	10

Hit & Miss Ventilators

BM473	11
BM476	11
BM479	11
BM351	11

BM352	11
BM353	11

Louvre Ventilators

BM421/W	11
BM463	11
BM466	11
BM469	11
BM463/F	11
BM466/F	11
BM469/F	11
BM72/1	12
BM72/2/F	12
BM72/TO	12
BM885/W	12
BM885/B	12
BM885/BK	12
BM370	12
BM361	12
BM362	12
BM363	12
BM364	12
BM365	12
BM449/B	13
BM449/W	13
BM449/BK	13

Face Fitting Ventilators

BM461/W	13
BM73	13
BM367	13
BM368	13
BM368/W	13
BM369	13

Flush Fitting Ventilators

BM460/B	14
BM460/W	14
BM742/W	14

External Cowl

BM447/R	14
BM447/S	14
BM447/B	14
BM424/B	14
BM424/W	14
BM419/HR/B	14
BM419/HR/W	14
BM422/B	15
BM422/T	15
BM432/C/B	15
BM419/B	15
BM419/W	15
BM457/B	15
BM457/W	15

Airbricks

BM481/T	15
BM483/T	15
BM483/S	15
BM483/B	15
BM486/T	16
BM486/R	16
BM486/S	16
BM486/B	16
BM487/B	16
BM413/G	16
BM413/S	16
BM413/T	16
BM413/B	16

Through Floor Ventilators

BM435	16
BM435/C	16

Soffit Ventilators

BM406/B	16
BM406/W	16
BM407/B	17
BM407/W	17

Ducting

BM830	17
BM832	17
BM841	17
BM809	18
BM991	18
BM992	18
BM993	18
BM813	18
BM814	18
BM810	18
BM811/W	18
BM972/W	18
BM973/W	18
BM974/W	18
BM976/W	19
BM978/W	19
BM979/W	19

RHINO

Rhino Flexi Tub

Flexi Tub Stand 	21
BM5/12	22
BM5/12/G	22
BM5/12/LB	22
BM5/12/PK	22
BM5/12/P	22
BM5/12/R	22
BM5/12/Y	22

BM5/26	22
BM5/26/G	22
BM5/26/LB	22
BM5/26/PK	22
BM5/26/P	22
BM5/26/R	22
BM5/26/Y	22
BM5/40	22
BM5/40/G	22
BM5/40/LB	22
BM5/40/PK	22
BM5/40/P	22
BM5/40/R	22
BM5/40/Y	22
BM5/75	22
BM5/75/G	22
BM5/75/P	22
BM5/75/Y	22

Buckets

BB2	23
BB3/G	23
BB3/LB	23
BB3/PK	23
BB3/P	23
BB3/R	23
BB3/Y	23
BB4	23
BB6	23
BB7	23
BM7/B	23
BM7/G	23
BM7/R	23
BM10/B	23
BM10/G	23
BM8	24
BM8/G	24
BM8/LB	24
BM8/PK	24
BM8/P	24
BM8/R	24
BM8/Y	24
GB07	24
GB13	24

Bins

BM199	24
BM199/BL	24
BM199/G	24
BM199/P	24
BM199/R	24
BM199/Y	24
BM5/45/Y	24

Rhino Gardening

Water butt	26
WC10/G	26

WC10/R	26
BM116	26
BM117	26

HARDWARE, PLASTERING & DECORATING

Hardware

BM214	28
BM216	28
BM218	28
BM164	28
BM168	28
BM170	28
BM172	28
BM20/1	28
BM20/2	28
BM70/1	28
BM70/2	28

Plastering & Decoration

BM194	29
BM195	29
BM197	29
BM82/1	29
BM83/1/1	29
BM83/2/1	29
BM83/SF	30
PK1L	30
PK2L	30
PK5L	30

PLUMBING & DRAINAGE

BM13/1	32
BM13/2	32
BM13/3	32
BM13/4	32
BM33/1	32
BM33/2	32
BM33/3	32
BM33/6	32
BM71/1	32
BM71/2	32
BM71/3	32
BM71/4	32
BM71/6	32
BM667	32
BM668	32
BM669	32
BM679	33
BM679/B	33
BM682	33
BM684	33
BM506	33
BM508	33
BM44/1	33
BM76/2	33

BM76/3	33
BM46	34
BM38/1	34
BM38/7	34
BM85/1	34
BM85/2	34
BM527	34
BM159	35
BM100	35
BM58	35

Stadium

BUILDING PRODUCTS

Flambeau Europe

Manston Road
Ramsgate
Kent
CT12 6HW
UK

Our Contact Details

-  01843 854 002
-  stadium@flambeau.com
-  www.stadiumbuildingproducts.com